

SINGLE USE SURGICAL PROFESSIONAL RANGE



Packaging

STERILE POUCHES

All sterile instruments are supplied in individual peelable pouches to protect them during storage until needed.

DISPENSING BOXES

Each PROFESSIONAL box has a removable lid for convenient dispensing of sterile pouches even when boxes are stacked. The front label on the boxes has a barcode for quick identification and stock management.

CARE FOR THE ENVIRONMENT

Eakin Surgical strive to protect the environment through responsible and sustainable operations. All cardboard packaging is recyclable. For information on recycling of metal instruments please ask your representative.



Eakin B.V. Medelse Poort, Biezenwei 23, 4004 MB Tiel, Netherlands



Accuratus AG, Holligenstrasse 94, CH-3008 Bern, Switzerland



CE mark including SGS (notified body) identification number. Product conforms with European Requirements



UKCA mark including SGS (notified body) identification number. Product conforms with UK Requirements

CONTENTS

The Professional Range	4
Suctions	5-22
Suction Design	5
Suction Size Chart	6
Polished Suctions	7
Rounded Suctions	8
Fenestrated Suctions	9
Fenestrated & Rounded Suctions	10
Long Suctions	11-12
Teardrop Suctions	13
Fine Suctions	14
Soft Tip Suction	14
Lipped Suction	15
Flat Tip Suction	15
Micro Suction	16
Curved Micro Suction	16
Curved Tip Suctions	17
Negus Suction	18
Schuknecht Suctions	18
Curved Suction	19
Poole Tip Suction	19
Poole Suction	19
Rounded Fenestrated Suction	20
Sheffield Suction	20

Laser Suctions	21
Suction Tubing	21
Suction NCH (No Control Hole)	22
Aspiration Needle	23
Aspiration Tube	23
Micro Ear Forceps	24
Cannula Straight	25
Cannula Curved	25
Angled Cannula	25
Tilley Nasal Forceps	24
Kerrison Rongeurs	26
Vein Hooks	27
Spackman Cannula	28
Pulse Lavage	29
Index by Product Reference	30-31

SUCTIONS	
ASPIRATION NEEDLE & TUBE	
CANNULAS	
KERRISON RONGEUR	
VEIN HOOKS	
FORCEPS	
OTOLOGY INSTRUMENTS	
SPACKMAN CANNULA	
PULSE LAVAGE	

February 2024



SINGLE USE SURGICAL
PROFESSIONAL

THE PROFESSIONAL RANGE



The problem: Debris found inside a reusable suction tube *after* cleaning and sterilization.

GUARANTEED CLEAN

All cannulated instruments are manufactured in the UK, using processes that ensure internal lumens are guaranteed clean and sterile to eliminate the risk of contamination from manufacturing debris.

Every instrument is delivered to you in individual sterile pouches for immediate use in the sterile field.

SUPERIOR QUALITY

Eakin Surgical strongly believes in value for money; it supplies the highest quality single use devices at competitive prices.

All products comply with industry standards as well as the exacting standards of professionals.

COST EFFECTIVE

When reusable instruments cannot be guaranteed clean, or are being lost, damaged and frequently replaced, single use instruments are a convenient cost effective option.



The solution: Single use suction tubes

CUSTOMER FOCUS

Meeting customer needs is at the heart of the company. Customer demand has driven the development of the extensive PROFESSIONAL range of suction tubes and other devices for many areas of surgery.

Eakin Surgical's friendly customer service team is always happy to work with you to find the right instrument to meet your requirements.

CONTACT US

Eakin Surgical Ltd
Greypoint
Cardiff Business Park
Cardiff
CF14 5WF
United Kingdom

Telephone +44 (0)2920 767 800
Facsimile +44 (0)2920 767 801
Email info@eakinsurgical.com
Website www.eakinsurgical.com

STANDARD SUCTION DESIGN

EXTENSIVE RANGE

The PROFESSIONAL range of suctions offers an extensive choice of length, lumen size and tip finish to enable you to find the right match for procedure, patient and surgeon.

Unless otherwise specified, all suctions have a 30° bend (a) to optimise visibility and this angle is fixed. The working length is measured from the bend to the tip (c).


ERGONOMIC HANDLE

A unique handle design provides optimum ergonomics with slim, smooth contours for comfort and improved visibility. Engineered to prevent blocking.




CONTROL HOLE

The suction control hole allows fine manipulation of suction with minimal noise. As standard the control hole is round but we also produce a range with a teardrop shaped control hole where more sensitive adjustment is needed (see page 13). There are also a small number of suctions that have no control hole in the handle, these will be indicated next to the listing.

Ref.	Description
a	Bend angle
b	Lumen/Diameter
c	Working length
d	Length before the bend



Suction Size & Tip Style Chart




Tip	Polished				Rounded			Fenestrated			Rounded & Fenestrated		
fg	6	9	12	15	6	9	12	6	9	12	6	9	12
mm	2	3	4	5	2	3	4	2	3	4	2	3	4
5/6	6fgN100	9fgN100					S236	S086*	S087*	S160*			
7					S102	S103							
9	6fgN140	9fgN140	S034	S340	S037	S014	S104	S002	S060		S091	S092	S093
13	S077	S076	S074	S390	S095	S096	S133	S055	S001	S042	S071	S094	S343
15		S005											
17			S199*								S120	S075	
19			S021								S168	S169*	
20	S031	S024			S156	S319	S318						
23			S459*										
27	S020	S011			S185	S182							
34			S460										
35		S036				S187	S284*						
40			S109										
44			S461										
45	S258*	S015				S183							
50			S132*										
55		S111	S038				S184						





*Made to order

Polished Tips

All suctions have smooth, polished tips.

For rounded and fenestrated tips, please see pages 8-10. See also our range of specialist suctions on pages 12-22.




	Description	Length	Lumen	Ref.
	Zoellner	5.5cm	6fg	6fgN100
		5cm	9fg	9fgN100
	Frazier	9cm	6fg	6fgN140
			9fg	9fgN140
			12fg	S034
			15fg	S340
		13cm	6fg	S077
			9fg	S076
			12fg	S074
			15fg	S390
		15cm	9fg	S005
		17cm	12fg	S199*
	Magill	3.5cm	6fg	6fgF140
			9fg	9fgF140
	Zoellner Tips		18g	OPR008
			20g	OPR009
			22g	OPR010






*Made to order

Rounded Tips

A range of suction tubes with a smooth rounded tip for atraumatic tissue contact.

For rounded tip suctions with a working length of 20cm and over, please see page 11.






	Description	Length	Lumen	Ref.
	Rounded Suction	5.5cm	12fg	S236
	Rounded Frazier	7cm	6fg	S102
			9fg	S103
	Rounded Frazier	9cm	6fg	S037
			9fg	S014
			12fg	S104
	Rounded Frazier	13cm	6fg	S095
			9fg	S096
			12fg	S133
	Rounded Magill	3.5cm	9fg	S046

Fenestrated Tips

A range of suctions with fenestrated tips to disperse aspiration and reduce suction trauma.



	Description	Length	Lumen	Ref.
	Fenestrated Suction	5cm	6fg	S086*
			9fg	S087*
			12fg	S160*
	Fenestrated Suction	9cm	6fg	S002
			9fg	S060
	Fenestrated Suction	13cm	6fg	S055
			9fg	S001
			12fg	S042




*Made to order

Fenestrated & Rounded Tips

Suctions that benefit from a tip that is both fenestrated and rounded.

For rounded, fenestrated suction with a working length of 20cm and over, please see page 12.




	Description	Length	Lumen	Ref.
	Fenestrated Rounded Frazier	5cm	6fg	S456*
			9fg	S457*
			12fg	S458*
		9cm	6fg	S091
			9fg	S092
			12fg	S093
	Fenestrated Rounded Frazier	13cm	6fg	S071
			9fg	S094
			12fg	S343
	Fenestrated Rounded Suction	17cm	6fg	S120
			9fg	S075

*Made to order

Long Suctions

A range of long suction tubes to optimize reach and visibility during ENT procedures.

- Brushed stainless steel prevents glare and reflection.
- Added benefit of rounded tips for atraumatic tissue contact.
- Strong high quality tube.




Working Length	Polished Tip			Rounded Tip			Fenestrated Tip		
	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm	6fg ~ 2mm	9fg ~ 3mm	12fg ~ 4mm
20 cm	S031	S024	S021	S156	S319	S318	S466*	S465*	S464*
23 cm			S459*						
27 cm	S020	S011		S185	S182				
34 cm			S460						
35 cm		S036			S187	S284*			
40 cm			S109						
44 cm			S461						
45 cm	S258*	S015			S183				
50 cm			S132*						
55 cm		S111	S038			S184			

*Made to order

Long Suctions with 60° Bend

- 60° bend, provides a more acute angle than our standard suctions
- Brushed stainless steel prevents glare and reflection
- Strong high quality tube




Working Length	Polished Tip	Rounded & Fenestrated Tip	
	12fg ~ 4mm	6fg ~ 2mm	9fg ~ 3mm
20 cm		S168	S169*
30 cm	S131*		

*Made to order

Teardrop Control Suctions





- Suctions with a teardrop shaped control hole offer more precise control of airflow
- Available with a tapered tube to minimise blocking



Tapered Tube




Malleable

	Description	Length	Lumen	Ref.
	Teardrop Micro Suction	7cm	18g	S439*
	Teardrop Suction Tapered	9cm	6fg	S190
	Teardrop Suction	9cm	9fg	S189
	Teardrop Suction	13cm	9fg	S192*

*Made to order

Fine Suctions



Reference	Description	Length	Lumen
S176*	Suction 3fg 8cm	8cm	3fg
S177	Suction 5fg 8cm	8cm	5fg

Soft Tip Suction

A suction with a soft silicone tip for very delicate procedures



Reference	Description	Length	Lumen
S321	Soft Tip 6fg 9cm Suction	9cm	6fg

*Made to order

Lipped Suction

A suction with a curved lip at its, available with teardrop control option.

The tube is flattened for easy access to the surgical site



Reference	Description	Length
S435	Lipped Suction 12fg 12cm 60°	12cm

Flat Tip Suction


A straight tube finished with a flattened polished tip




Reference	Description	Length
S436	Flat Tip Suction 12fg	13cm

Micro Suction

The micro suction with an 18g fine tip




S434



Curved Micro Suction

Anatomically designed to access harder to reach areas. Perfect for procedures performed through the nose, the smooth rounded tip allows for gentle, atraumatic dissection.



S446

60°



S447

Reference	Description	Length	Lumen
S434	Micro Suction 18g 7cm	7cm	18g
S446	Curved Micro Suction 9fg 15cm 30° Bend Rounded Tip 60° Curve (Left)	15cm	9fg
S447	Curved Micro Suction 9fg 15cm 30° Bend Rounded Tip 60° Curve (Right)	15cm	9fg

Curved Tip Suctions

A range of suctions with curved tips for maximum visibility and access in difficult to reach areas



Extended Range



Gentle bend for improved access

With control hole only

60° Curve Ball End

9fg—3mm

S444*



	Curve Rounded Tip		Curve Ball End		Curve Rounded Tip		Curve Ball End	
	70°	65°	70°	65°	90°		90°	
	9fg ~ 3mm	12fg ~ 4mm	9fg ~ 3mm	12fg ~ 4mm	9fg ~ 3mm	12fg ~ 4mm	9fg ~ 3mm	12fg ~ 4mm
			S467*	S468*				
Upward Curve								
With Control Hole	S012	S013	S228	S229	S040	S041	S230	S231
No Control Hole		S163*						

*Made to order

Negus Suction


The flattened curved tip of this instrument makes it ideal for elevation . A small fenestration on both sides of the tip allows simultaneous suction



Reference	Description	Length
S146	Negus Suction	12cm

Schuknecht Suction

Schuknecht suctions provide fine end aspiration



Reference	Description	Length	Lumen
S007	Schuknecht 20g	6cm	20g
S008	Schuknecht 24g	6cm	24g
S072	Schuknecht 18g	6cm	18g
S157*	Long Schuknecht 20g	13cm	20g

*Made to order

Curved Suction

This suction has a smooth curvature with rounded and fenestrated tip for atraumatic and dispersed aspiration



Reference	Description	Length	Lumen
S026	Curved Suction 12fg	14cm	12fg

Poole Tip Suction



Reference	Description	Length	Lumen
S440	Poole Tip Suction 12fg 13cm Rounded 4x4x2mm Fenestrations	13cm	12fg

Poole Suction

The Poole suction has multiple holes around the sheath for dispersed suction and reduced risk of blockage. It also offers the option for finer suction with a simple bayonet twist action



Reference	Description	Length	Lumen
S010	Poole Suction	26cm (when closed)	5mm

Rounded Suction with 4 Fenestrations

This ultra delicate suction has 4 fenestrations that are 1mm in diameter at the tip




Reference	Description	Length	Lumen
S147	Rounded Suction 12fg 9cm 4x1mm Fenestrations	9cm	12fg
S445	Rounded Suction 12fg 30cm 4x1mm Fenestrations 60°	30cm	12fg

Sheffield Suction

Suction with novel clip to allow attachment to a laryngoscope during endolaryngeal laser surgery.

Enables effective smoke plume evacuation and is detachable in the instance of a bleed



“ We routinely use these sucker clips to perform all endolaryngeal [laser] surgery and overall, feel they are simple, easy to use and extremely efficient in suctioning fumes. ”

Mr Jabreel, Consultant ENT Surgeon


Mr Manickavasagam, Consultant ENT Surgeon

Reference	Description	Length	Lumen
S240	Sheffield Suction 9fg 15cm 90° Bend with Clip	15cm	9fg

Laser Suctions

Laser suctions combine two instruments in one; a 0.9mm fibre optic laser port bonded to the suction tube allows simultaneous aspiration with cutting and coagulation

For use with 600 micron core laser fibre with 850 micron sheath






Extended Laser Channel



Flush Finish Laser Channel



Extended Angulated Laser Channel

	Description	Length	Lumen	Ref.
	Laser Suction 6fg 9cm with Extended Laser Channel	9cm	6fg	S110
	Laser Suction with Flush Finish	9cm	6fg	S165
		20cm	6fg	S139
	Fairley Laser Suction 12cm with Extended Angulated Tip	12cm	6fg	S285*

*Made to order


Flexible Connection Tubing

Made from silicone for flexibility and resistance to kinking

Reference	Description	Includes Connector
S066	Flexible Connection Tubing 8mm 50cm	No
S099	Flexible Connection Tubing 8mm 300cm	Yes
S101	Flexible Connection Tubing 8mm 150cm	Yes

Suction NCH (No Control Hole)

A rigid suction without a suction control hole




No fine control hole in handle to prevent leakage.

Reference	Description	Length	Lumen
S043*	Suction 12fg 44cm NCH	44cm	12fg

*Made to order

Aspiration Needles


Aspiration Needles with Luer Lock has a sharp bevelled tip for safe and controlled penetration when aspirating fluids from the Gallbladder or cysts.



Reference	Description	Length
S019	Aspiration Needle 3mm 32cm	32cm
S080	Aspiration Needle 5mm 32cm	32cm

Aspiration Tube

Atraumatic blunt ended tube with Luer Lock



Reference	Description	Length	Lumen
S112	Blunt Aspiration Tube 4mm 33cm	33cm	4mm

Micro Ear Forceps

High quality micro ear forceps—also known as crocodile forceps—that effectively remove foreign bodies or are used to insert grommets. Feature serrated jaws to easily grip particles and fine shaft for access to the inner ear.



Reference	Description	Shaft length
S221	Micro Ear Forceps 5mm jaws	85mm



FORCEPS

Tilley Nasal Forceps



Reference	Description
S180	Tilley Nasal Forceps Short
S380	Tilley Nasal Forceps Long

Straight, Curved & Angled Cannulas



Reference	Description	Length	Lumen
S214	6fg Cannula Straight	7cm	6fg
S213	6fg Cannula Curved Set of 2	7cm	6fg
S028	Angled Cannula 19g	2.5cm	19g

Kerrisons

- Designed for single patient use to reduce the risk of cross infection and guarantee a sharp cut
- Ergonomic hand-polished edges
- Quality & functionality matches reusables



Bite	45° Degree Upward Cutting (Delicate Use)	45° Degree Upward Cutting	90° Degree
1mm	S161	S125	
2mm	S261	S126	S367
3mm	S262	S127	
4mm		S137	
5mm		S138	

Vein Hooks

A cost effective alternative to reusable equivalents. Made from high grade stainless steel they have a strong Oesch style hook which can withstand rigorous handling, yet is fine enough for insertion through small incisions



“ We have recently started using phlebectomy hooks and mosquito clips from Eakin Surgical Ltd at all of our clinics. The first thing we noticed was the very good quality. For disposable surgical instruments, the feel and performance of the hooks and the clips is excellent. As the quality of our work depends upon the quality of the instruments that we use, we are delighted to have found Eakin Surgical Ltd.

Professor Mark Whiteley, Venous Surgeon and owner of the Whiteley Clinic ”

Reference	Description
S090	Medium Right Hand Vein Hook (No. 2)
S106	Small Right Hand Vein Hook (No. 3)
S134*	Medium Left Hand Vein Hook (No. 2)
S135*	Small Left Hand Vein Hook (No. 3)

*Made to order

Spackman Cannula

The single use Spackman Cannula combats concerns over cleanliness with the added benefit of an easy to use self-locking clamp. Available with a fixed or repositionable acorn.

For hydrotubation dye tests and uterine manipulation during laparoscopy.




Fixed Acorn



Moveable Acorn



Rounded & Fenestrated Tip



Self-Locking Clamp



Reference	Description	Length	Lumen
S029	Spackman Cannula	32cm	12fg
S030	Spackman Cannula Moving Acorn	32cm	12fg



Pulse Lavage Kit

A disposable pulse lavage system with a built-in battery, for controlled pulsatile irrigation and suction

- Built-in battery pack - easily removed for safe disposal**, cutting the weight and cost of clinical waste
- Long coaxial tip provides extra reach
- 30mm cone tip
- Ergonomic handle

Technical Specification

- High speed flow rate up to 1,000ml/M
- Normal speed flow rate up to 700ml/M
- Pressure up to 15 PSI



Includes 2 additional tips



Built-in battery pack

Reference	Description
S353	Pulse Lavage Kit 1 includes Pulse Lavage, 30mm Cone Tip, Long Coaxial Canal (Femoral) Tip

** Ensure batteries are disposed of safely and in accordance with all current national and international waste disposal directives

INDEX BY PRODUCT REFERENCE

Reference	Description	Page
6fgF140	Fine Magill 6fg	7
6fgN100	Zoellner 6fg	7
6fgN140	Fine Frazier 6fg 9cm	7
9fgF140	Magill Suction 9fg	7
9fgN100	Suction 9fg 5cm	7
9fgN140	Frazier Suction 9fg 9cm	7
S001	Fenestrated Suction 9fg 13cm	9
S002	Fenestrated Suction 6fg 9cm	9
S005	Suction 9fg 15cm	7
S007	Schuknecht 20g 6cm	18
S008	Schuknecht 24g 6cm	18
S010	Poole Suction	19
S011	Long Suction 9fg 27cm	11
S012	Curved tip suction 9fg 70°	17
S013	Curved tip suction 12fg 65°	17
S014	Rounded Frazier 9fg 9cm	8
S015	Long Suction 9fg 45cm	11
S019	Aspiration Needle 3mm 32cm	23
S020	Long Suction 6fg 27cm	11
S021	Long Suction 12fg 19cm	11
S024	Long Suction 9fg 20cm	11
S026	Curved Suction 12fg	19
S028	Angled Cannula 19g	25
S029	Spackman Cannula	28
S030	Spackman Cannula Moving Acorn	28
S031	Long Suction 6fg 20cm	11
S034	Large Frazier Suction 12fg 10cm	7
S036	Long Suction 9fg 35cm	11
S037	Rounded Fine Frazier 6fg 9cm	8
S038	Long Suction 12fg 55cm	11
S040	Curved tip suction 9fg 90°	17
S041	Curved tip suction 12fg 90°	17
S042	Fenestrated Suction 12fg 13cm	9
S043	Suction 12fg 44cm NCH	22
S046	Rounded Magill 9fg	8
S055	Fenestrated Suction 6fg 13cm	9

Reference	Description	Page
S060	Fenestrated Frazier 9fg 9cm	9
S066	Flexible Connection Tubing 8mm 50cm	21
S071	Fenestrated Rounded Frazier 6fg 13cm	10
S072	Schuknecht Suction 18g	18
S074	Suction 12fg 13cm	7
S075	Fenestrated Rounded Suction 9fg 17cm	10
S076	Suction 9fg 13cm	7
S077	Suction 6fg 13cm	7
S080	Aspiration Needle 5mm 32cm	23
S086	Fenestrated Suction 6fg 5cm	9
S087	Fenestrated Suction 9fg 5cm	9
S090	Medium Right Hand Vein Hook (No. 2)	29
S091	Fenestrated Rounded Frazier 6fg 9cm	10
S092	Fenestrated Rounded Frazier 9fg 9cm	10
S093	Fenestrated Rounded Frazier 12fg 10cm	10
S094	Fenestrated Rounded Frazier 9fg 13cm	10
S095	Rounded Frazier 6fg 13cm	8
S096	Rounded Frazier 9fg 13cm	8
S099	Flexible Connection Tubing 8mm 300cm	21
S101	Flexible Connection Tubing 8mm 150cm	21
S102	Rounded Frazier 6fg 7cm	8
S103	Rounded Frazier 9fg 7cm	8
S104	Rounded Frazier 12fg 9cm	8
S106	Small Right Hand Vein Hook (No. 3)	27
S109	Long Suction 12fg 40cm	11
S110	Laser Suction 6fg 9cm	21
S111	Long Suction 9fg 55cm	11
S112	Blunt Aspiration Tube 4mm 32cm	23
S120	Fenestrated Rounded Suction 6fg 17cm	10
S125	Kerrison Rongeur 1mm x 200mm 45°	26
S126	Kerrison Rongeur 2mm x 200mm 45°	26
S127	Kerrison Rongeur 3mm x 200mm 45°	26
S131	Long Suction 12fg 29cm 60°	12
S132	Long Suction 12fg 50cm	11
S133	Rounded Suction 12fg 13cm	8
S134	Medium Left Hand Vein Hook (No. 2)	27

INDEX BY PRODUCT REFERENCE

Reference	Description	Page
S135	Small Left Hand Vein Hook (No. 3)	27
S137	Kerrison Rongeur 4mm x 200mm 45°	26
S138	Kerrison Rongeur 5mm x 200mm 45°	26
S139	Long Laser Suction 6fg 20cm Flush Finish	21
S146	Negus Suction 9fg 12cm	18
S147	Rounded Suction 12fg 10cm 4x1mm Fen	20
S156	Rounded Long Suction 6fg 20cm	11
S157	Long Schuknecht Suction 20g 12.5cm	18
S160	Fenestrated Suction 12fg 5cm	9
S161	Kerrison Rongeur 1mm x 200mm 45° DUO	26
S163	Curved tip Suction 12fg 65° NCH	17
S165	Laser Suction 6fg 9cm Flush Finish	21
S168	Fenestrated Rounded Suction 6fg 19cm 60°	12
S169	Fenestrated Rounded Suction 9fg 19cm 60°	12
S176	Suction 3fg 7cm	14
S177	Suction 5fg 8cm	14
S180	Tilley Nasal Forceps Short	24
S182	Rounded Long Suction 9fg 27cm	11
S183	Rounded Long Suction 9fg 45cm	11
S184	Rounded Long Suction 12fg 55cm	11
S185	Rounded Long Suction 6fg 27cm	11
S187	Rounded Long Suction 9fg 35cm	11
S189	Teardrop Suction 9fg 9cm	13
S190	Teardrop Suction 6fg 9cm Tapered	13
S192	Teardrop Suction 9fg 13cm	13
S199	Suction 12fg 17cm	7
S213	6fg Cannula Curved Set of 2	25
S214	6fg Cannula Straight	25
S221	Micro Ear Forceps 5mm	24
S228	Ball End Suction 9fg 70° Curve	17
S229	Ball End Suction 12fg 65° Curve	17
S230	Ball End Suction 9fg 90° Curve	17
S231	Ball End Suction 12fg 90° Curve	17
S236	Rounded Suction 12fg 5.5cm	8
S240	Sheffield Suction 9fg 14cm 90°	20
S258	Long Suction 6fg 45cm	11

Reference	Description	Page
S261	Kerrison Rongeur 2mm x 200mm 45° DUO	26
S262	Kerrison Rongeur 3mm x 200mm 45° DUO	26
S284	Rounded Long Suction 12fg 35cm	11
S285	Fairley Laser Suction 11cm Extended Tip	21
S318	Rounded Long Suction 12fg 20cm	11
S319	Rounded Long Suction 9fg 20cm	11
S321	Soft Tip 6fg 9cm Suction	14
S340	Frazier Suction 15fg 9cm	7
S343	Fenestrated Rounded Frazier 12fg 13cm	10
S353	Pulse Lavage Kit	29
S367	Kerrison Rongeur 2mm x 200mm @90°	28
S380	Tilley Nasal Forceps Long	24
S390	Frazier Suction 15fg 12cm	7
S434	Micro Suction 18g 7cm	16
S435	Lipped Suction 12fg 12cm	15
S436	Flat Tip Suction 12fg 13cm	15
S439	Teardrop Micro Suction 18g	13
S440	Poole Tip Suction 12fg 13cm	19
S444	Ball End Curved Tip Suction 9fg 60°	17
S445	Rounded Suction 12fg 30cm 60° 4x1mm Fen	20
S446	Curved Tip Suction 9fg 15cm 60° Left	16
S447	Curved Tip Suction 9fg 15cm 60° Right	16
S456	Fenestrated Rounded Frazier 6fg 5cm	10
S457	Fenestrated Rounded Frazier 9fg 5cm	10
S458	Fenestrated Rounded Frazier 12fg 5cm	10
S459	Long Suction 12fg 23cm	11
S460	Long Suction 12fg 34cm	11
S461	Long Suction 12fg 44cm	11
S464	Long Suction 12fg 20cm Fenestrated	11
S465	Long Suction 9fg 20cm Fenestrated	11
S466	Long Suction 6fg 20cm Fenestrated	11
S467	Ball End Upward Curve Suction 9fg 70°	17
S468	Ball End Upward Curve Suction 12fg 65°	17
OPR008	Zoellner Suction Fine Tip 18g	7
OPR009	Zoellner Suction Fine Tip 20g	7
OPR010	Zoellner Suction Fine Tip 22g	7

CONTACT US

Eakin Surgical Ltd
Greypoint
Cardiff Business Park
Cardiff
CF14 5WF
United Kingdom

Telephone	+44 (0)2920 767 800
Facsimile	+44 (0)2920 767 801
Email	info@eakinsurgical.com
Website	www.eakinsurgical.com

Please send orders to orders@eakinsurgical.com

Please note products marked “*Made to Order” are not subject to standard delivery times and require a minimum order quantity. For more information, please contact info@eakinsurgical.com

These devices are intended for an individual patient, during a single procedure and should be discarded after use. Potential of cross contamination if re-used due to device not being sterile.

Eakin Surgical Ltd is registered in England & Wales. Company Registration No. 3939863. VAT No. GB806634432
Registered office: Eakin Surgical Ltd, Greypoint, Cardiff Business Park, Cardiff, CF14 5WF.

V18
01/2024